

Band Screen PG.

mnTM
WATER TREATMENT
PRODUCTS

Band Screen PG separates solids and screenings from water.



WATER TREATMENT
PRODUCTS

A part of Hydria Water

Band Screen PG.



Band Screen PG separates solids and screenings from water.

Advantages

- Modern construction from robust stainless steel high quality materials.
- High screenings capture ratio.
- Stainless steel chains & sprockets.
- Alternative band cleaning solutions reduces water consumption.
- Enclosed, safe & hygienic with easy to open access doors.

Function

A band of linked perforated panels filters the water. Separated material is conveyed upwards and gets brushed off at the discharge point. Our well engineered brush and cleaning system prevents the perforation from clogging.





Specifications

| | |
|------------------|--|
| Discharge height | 1000-10000 mm |
| Width | 200-3000 mm |
| Perforation | 1-10 mm |
| Capacity | 10-2000 l/s |
| Motored gears | SEW och Nord |
| Material | EN1.4301, EN1.4404 or by client demand |

MN has hundreds of international references. We are proud of our extensive knowledge and continuous development of the most innovative solutions available on the market of screens and screenings handling equipment within water and waste water treatment.

We have been on the market for more than 30 years and many of our well-engineered products has been benchmarks for the entire industry.

We design and manufacture all of our products in our own factories in Sweden.

We are certified with the latest ISO- and CE- standards.

Swedish steel working traditions and the highest quality.



Towards a cleaner world.



VA Teknik Sweden



WATER TREATMENT
PRODUCTS

A part of Hydria Water



HYDRIATM
WATER

www.hydrriawater.se